




# Ligao Mechanical Bearing Co., Ltd



7213 CD/P4A Bearing 2D drawings and 3D CAD models

## 65 mm x 120 mm x 23 mm SKF 7213 CD/P4A angular contact ball bearings

Bearing No. 7213 CD/P4A

Size	120x65x23 mm
Bore Diameter	120 mm
Outer Diameter	65 mm
Width	23 mm
d	65 mm
D	120 mm
B	23 mm
d <sub>1</sub>	82.9 mm
d <sub>2</sub>	82.9 mm
D <sub>1</sub>	102.1 mm
r <sub>1,2</sub> - min.	1.5 mm
r <sub>3,4</sub> - min.	0.6 mm
a	24 mm
d <sub>a</sub> - min.	74 mm
d <sub>b</sub> - min.	74 mm
D <sub>a</sub> - max.	111 mm
D <sub>b</sub> - max.	115.8 mm
r <sub>a</sub> - max.	1.5 mm
r <sub>b</sub> - max.	0.6 mm
d <sub>n</sub>	86.6 mm
Basic dynamic load rating - C	66.3 kN
Basic static load rating - C <sub>0</sub>	53 kN
Fatigue load limit - P <sub>u</sub>	2.3 kN
Limiting speed for grease	12000 r/min



## Ligao Mechanical Bearing Co., Ltd

Lubrication	
Limiting speed for oil lubrication	19000 mm/min
Ball - $D_w$	15.875 mm
Ball - $z$	15
$G_{ref}$	12.471 cm <sup>3</sup>
Calculation factor - $f_0$	14.6
Preload class A - $G_A$	250 N
Preload class B - $G_B$	500 N
Preload class C - $G_C$	1000 N
Preload class D - $G_D$	2000 N
Calculation factor - $f$	1.07
Calculation factor - $f$	1
Calculation factor - $f_{2A}$	1
Calculation factor - $f_{2B}$	1.01
Calculation factor - $f_{2C}$	1.03
Calculation factor - $f_{2D}$	1.05
Calculation factor - $f_{HC}$	1
Preload class A	78 N/micron
Preload class B	106 N/micron
Preload class C	148 N/micron
Preload class D	212 N/micron
Category	Precision Ball Bearings
Inventory	0.0
Manufacturer Name	SKF
Minimum Buy Quantity	N/A
Weight / Kilogram	1.03
EAN	7316570221381
Product Group	B04270
Enclosure	Open



## Ligao Mechanical Bearing Co., Ltd

Precision Class	ABEC 7   ISO P4
Material - Ball	Steel
Number of Bearings	1 (Single)
Contact Angle	15 Degree
Preload	None
Raceway Style	1 Rib Outer Ring
Cage Material	Phenolic
Rolling Element	Ball Bearing
Flush Ground	No
Inch - Metric	Metric
Other Features	Single Row   Angular Contact   Super Precision   High Capacity
Long Description	65MM Bore; 120MM Outside Diameter; 23MM Width; Open Enclosure; ABEC 7   ISO P4 Precision; Steel Ball Material; 1 (Single) Bearings; 15 Degree Contact Angle; Phenolic Cage Material; 1 Rib Outer Ring Ra
Category	Precision Ball Bearings
UNSPSC	31171531
Harmonized Tariff Code	8482.10.50.28
Noun	Bearing
Keyword String	Angular Contact Ball
Manufacturer URL	<a href="http://www.skf.com">http://www.skf.com</a>
Manufacturer Item Number	7213 CD/P4A
Weight / LBS	2.271
Bore	2.559 Inch   65 Millimeter
Outside Diameter	4.724 Inch   120 Millimeter
Width	0.906 Inch   23 Millimeter
d <sub>1</sub>	82.9 mm
d <sub>2</sub>	82.9 mm



## Ligao Mechanical Bearing Co., Ltd

$D_1$	102.1 mm
$r_{1,2}$ min.	1.5 mm
$r_{3,4}$ min.	0.6 mm
$d_a$ min.	74 mm
$d_b$ min.	74 mm
$D_a$ max.	111 mm
$D_b$ max.	115.8 mm
$r_a$ max.	1.5 mm
$r_b$ max.	0.6 mm
$d_n$	86.6 mm
Basic dynamic load rating C	66.3 kN
Basic static load rating $C_0$	53 kN
Fatigue load limit $P_u$	2.28 kN
Attainable speed for grease lubrication	12000 r/min
Attainable speed for oil-air lubrication	19000 r/min
Ball diameter $D_w$	15.875 mm
Number of balls z	15
Reference grease quantity $G_{ref}$	12.471 cm <sup>3</sup>
Preload class A $G_A$	250 N
Static axial stiffness, preload class A	78 N/ $\mu$ m
Preload class B $G_B$	500 N
Static axial stiffness, preload class B	106 N/ $\mu$ m
Preload class C $G_C$	1000 N
Static axial stiffness, preload class C	148 N/ $\mu$ m
Preload class D $G_D$	2000 N
Static axial stiffness, preload class D	212 N/ $\mu$ m
Calculation factor f	1.07



## Ligao Mechanical Bearing Co., Ltd

Calculation factor $f_1$	1
Calculation factor $f_{2A}$	1
Calculation factor $f_{2B}$	1.01
Calculation factor $f_{2C}$	1.03
Calculation factor $f_{2D}$	1.05
Calculation factor $f_{HC}$	1
Calculation factor $f_0$	14.6
Mass bearing	1.03 kg